



KENYATTA UNIVERSITY

UNIVERSITY EXAMINATIONS 2011/2012

FIRST SEMESTER EXAMINATION FOR THE DEGREE OF BACHELOR OF
SCIENCE

SMA 464: DESIGN AND ANALYSIS OF EXPERIMENTS

DATE: MONDAY, 5TH DECEMBER 2011

TIME: 4.30 P.M. – 6.30 P.M.

INSTRUCTIONS: Answer question ONE and any other TWO questions.

Question 1: (30 marks)

- (a) Describe briefly the three principles of design of experiments and for each principle point out its significance in design and analysis of experiments. (3 marks)
- (b) Define the following terms as used in experimental designs:
- (i) Treatments (1 mark)
 - (ii) Experimental units (1 mark)
 - (iii) Yield (1 mark)
- (c) By assuming the linear random effects additive model
- $$y_{ij} = \mu + t_i + e_{ij}, \quad i = 1, 2, \dots, v, \quad j = 1, 2, \dots, r_i$$
- in a completely randomized design,
- (i) Determine the estimates of μ and t_i (4 marks)
 - (ii) Find the variance of the estimate of t_i (3 marks)

- (d) The health of employees working in three different departments of a company is being compared. The resting pulse rates are given below:

Sales	72	81	96	75	69	88	74	102
Accounts	65	73	78	66				
Admin	61	79	67	74	65			

- (i) Find the overall mean μ , assuming it is the same as the sample mean. (1 mark)
- (ii) Find the treatment mean, μ_i , assuming they are the same as the sample treatment means. (3 marks)
- (iii) Hence, find the treatment effects, t_i . (3 marks)
- (e) The ANOVA for randomized block design produced the ANOVA table entries shown here

Source of variation	d.f	S.S	MSS	F
Treatments	2	131.9	-	-
Blocks	6	-	44.7	-
Error	-	124.5	-	
Total	-	-		

- (i) Complete the ANOVA table. (4 marks)
- (ii) Do the data provide sufficient evidence to indicate a difference among the treatment means? Test using $\alpha = 0.01$ (2 marks)
- (iii) Do the data provide sufficient evidence to indicate that blocking was a useful design strategy for this experiment. Take α to be 1%. (2 marks)
- (iv) Find the efficiency of this design over the completely randomized design. (2 marks)

Question 2 (20 marks)

(a) Explain what a randomized block design is. (2 marks)

(b) Show that the efficiency of a randomized block design (R.B.D) relative to a completely randomized design (C.R.D) is

$$\frac{E_1}{E_2} = \frac{b(v-1) + (b-1)\frac{B}{E_2}}{bv-1}$$

where E_1 is the mean sum of squares due to error in R.B.D

E_2 is the mean sum of squares due to error in C.R.D

v is the number of treatments

b is the number of blocks

(6 marks)

(c) A randomized block design was used to compare the mean responses for three treatments. Four blocks of three homogeneous experimental units were selected, and each treatment was randomly assigned to one experimental unit within each block. The data are shown in the table below:

Treatment	Block			
	1	2	3	4
A	3.4	5.5	7.9	1.3
B	4.4	5.8	9.6	2.8
C	2.2	3.4	6.9	0.3

Perform an analysis of variance on these results stating clearly the null hypothesis and your conclusion.

Take α to be 1%

(12 marks)

Question 3 (20 marks)

(a) When is an incomplete block design said to be balanced? (2 marks)

(b) For a balanced incomplete block design with the usual notation, show that

(i) $b \geq v + r - k$ (5 marks)

(ii) $\lambda(v-1) = r(k-1)$ (7 marks)

- (c) Describe how you would construct a balanced incomplete block (B.I.B) design using $(s-1)$ pairwise orthogonal latin squares each of size $(s \times s)$, s being a prime number or power of a prime number. State the parameters of such a design. (6 marks)

Question 4 (20 marks)

- (a) Consider a $(v \times v)$ latin square design. Let $y_{ijk} = x$, $(i, j, k = 1, 2, \dots, v)$ in the i th row, j th column and receiving the k th treatment be missing. Prove that

$$\hat{x} = \frac{VR'_i + VC'_j + VT'_k - 2G'}{(V-2)(V-1)}$$

where R'_i = total of known observations in the i th row

C'_j = total of known observations in the j th column

T'_k = total of known observations receiving k th treatment.

V = the number of treatments

G' = Total of all known observations.

(6 marks)

- (b) Estimate the missing value in the following latin square design and then set up the ANOVA table. Hence make an appropriate conclusion by taking the level of significance to be 1%.

A	B	C
74	57	50
C	A	B
6	94	-
B	C	A
40	29	112

(14 marks)

Question 5 (20 marks)

- (a) Define the term, complete factorial experiment. (2 marks)
- (b) What is a treatment contrast? When are two such contrasts said to be orthogonal? (2 marks)
- (c) In a 2^2 factorial design we have two factors A_1 and A_2 applied at two levels. Write down the treatment combinations of this design. Obtain the estimates of main and interaction factors (or effects) (13 marks)
- (d) If three treatments are arranged in a latin square, how many orthogonal latin squares are possible? Suppose we denote the three treatments by 0, 1 and 2. Write down the set of orthogonal latin squares with these treatments as entries. (3 marks)

Table 4 CUMULATIVE F DISTRIBUTION* (m degrees of freedom in numerator; n in denominator)

$$G(F) = \int_0^F \frac{\Gamma\left(\frac{m+n}{2}\right) m^{m/2} n^{n/2} x^{(m-2)/2} (n+mx)^{-(m+n)/2} dx}{\Gamma\left(\frac{m}{2}\right) \Gamma\left(\frac{n}{2}\right)}$$

G	n	m	1	2	3	4	5	6	7	8	9	10	12	15	20	30	60	120	∞
.90	1		39.9	49.5	53.6	55.8	57.2	58.2	58.9	59.4	59.9	60.2	60.7	61.2	61.7	62.3	62.8	63.1	63.3
.95			161	200	216	225	230	234	237	239	241	242	244	246	248	250	252	253	254
.975			648	800	864	900	922	937	948	957	963	969	977	985	993	1000	1010	1010	1020
.99			4,050	5,000	5,400	5,620	5,760	5,860	5,930	5,980	6,020	6,060	6,110	6,160	6,210	6,260	6,310	6,340	6,370
.995			16,200	20,000	21,600	22,500	23,100	23,400	23,700	23,900	24,100	24,200	24,400	24,600	24,800	25,000	25,200	25,400	25,500
.90	2		8.53	9.00	9.16	9.24	9.29	9.33	9.35	9.37	9.38	9.39	9.41	9.42	9.44	9.46	9.47	9.48	9.49
.95			18.5	19.0	19.2	19.2	19.3	19.3	19.4	19.4	19.4	19.4	19.4	19.4	19.5	19.5	19.5	19.5	19.5
.975			38.5	39.0	39.2	39.2	39.3	39.3	39.4	39.4	39.4	39.4	39.4	39.4	39.5	39.5	39.5	39.5	39.5
.99			98.5	99.0	99.2	99.2	99.3	99.3	99.4	99.4	99.4	99.4	99.4	99.4	99.5	99.5	99.5	99.5	99.5
.995			199	199	199	199	199	199	199	199	199	199	199	199	199	199	199	199	199
.90	3		5.54	5.46	5.39	5.34	5.31	5.28	5.27	5.25	5.24	5.23	5.22	5.20	5.18	5.17	5.15	5.14	5.13
.95			10.1	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.74	8.70	8.66	8.62	8.57	8.55	8.53
.975			17.4	16.0	15.4	15.1	14.9	14.7	14.6	14.5	14.4	14.3	14.2	14.1	14.0	13.9	13.9	13.9	13.9
.99			34.1	30.8	29.5	28.7	28.2	27.9	27.7	27.5	27.3	27.2	27.1	26.9	26.7	26.5	26.3	26.2	26.1
.995			55.6	49.8	47.5	46.2	45.4	44.8	44.4	44.1	43.9	43.7	43.4	43.1	42.8	42.5	42.1	42.0	41.8
.90	4		4.54	4.32	4.19	4.11	4.05	4.01	3.98	3.95	3.93	3.92	3.90	3.87	3.84	3.82	3.79	3.78	3.76
.95			7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96	5.91	5.86	5.80	5.75	5.69	5.66	5.63
.975			12.2	10.6	9.98	9.60	9.36	9.20	9.07	8.98	8.90	8.84	8.75	8.66	8.56	8.46	8.36	8.31	8.26
.99			21.2	18.0	16.7	16.0	15.5	15.2	15.0	14.8	14.7	14.5	14.4	14.2	14.0	13.8	13.7	13.6	13.5
.995			31.3	26.3	24.3	23.2	22.5	22.0	21.6	21.4	21.1	21.0	20.7	20.4	20.2	19.9	19.6	19.5	19.3
.90	5		4.06	3.78	3.62	3.52	3.45	3.40	3.37	3.34	3.32	3.30	3.27	3.24	3.21	3.17	3.14	3.12	3.11
.95			6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.68	4.62	4.56	4.50	4.43	4.40	4.37
.975			10.0	8.43	7.76	7.39	7.15	6.98	6.85	6.76	6.68	6.62	6.52	6.43	6.33	6.23	6.12	6.07	6.02
.99			16.3	13.3	12.4	11.4	11.0	10.7	10.5	10.3	10.2	10.1	9.89	9.72	9.55	9.38	9.20	9.11	9.02
.995			22.8	18.3	16.5	15.6	14.9	14.5	14.2	14.0	13.8	13.6	13.4	13.1	12.9	12.7	12.4	12.3	12.1
.90	6		3.78	3.46	3.29	3.18	3.11	3.05	3.01	2.98	2.96	2.94	2.90	2.87	2.84	2.80	2.76	2.74	2.72
.95			5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06	4.00	3.94	3.87	3.81	3.74	3.70	3.67
.975			8.81	7.26	6.60	6.23	5.99	5.82	5.70	5.60	5.52	5.46	5.37	5.27	5.17	5.07	4.96	4.90	4.85
.99			13.7	10.9	9.78	9.15	8.75	8.47	8.26	8.10	7.98	7.87	7.72	7.56	7.40	7.23	7.06	6.97	6.88
.995			18.6	14.5	12.9	12.0	11.5	11.1	10.8	10.6	10.4	10.2	10.0	9.81	9.59	9.36	9.12	9.00	8.88
.90	7		3.59	3.26	3.07	2.96	2.88	2.83	2.78	2.75	2.72	2.70	2.67	2.63	2.59	2.56	2.51	2.49	2.47
.95			5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.57	3.51	3.44	3.38	3.30	3.27	3.23
.975			8.07	6.54	5.89	5.52	5.29	5.12	4.99	4.90	4.82	4.76	4.67	4.57	4.47	4.36	4.25	4.20	4.14
.99			12.2	9.55	8.45	7.85	7.46	7.19	6.99	6.84	6.72	6.62	6.47	6.31	6.16	5.99	5.82	5.74	5.65
.995			16.2	12.4	10.9	10.1	9.52	9.16	8.89	8.68	8.51	8.38	8.18	7.97	7.75	7.53	7.31	7.19	7.08
.90	8		3.46	3.11	2.92	2.81	2.73	2.67	2.62	2.59	2.56	2.54	2.50	2.46	2.42	2.38	2.34	2.31	2.29
.95			5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.28	3.22	3.15	3.08	3.01	2.97	2.93
.975			7.57	6.06	5.42	5.05	4.82	4.65	4.53	4.43	4.36	4.30	4.20	4.10	4.00	3.89	3.78	3.73	3.67
.99			11.3	8.65	7.59	7.01	6.63	6.37	6.18	6.03	5.91	5.81	5.67	5.52	5.36	5.20	5.03	4.95	4.86
.995			14.7	11.0	9.60	8.81	8.30	7.95	7.69	7.50	7.34	7.21	7.01	6.81	6.61	6.40	6.18	6.06	5.95

.90	9		3.36	3.01	2.81	2.69	2.61	2.55	2.51	2.47	2.44	2.42	2.38	2.34	2.30	2.25	2.21	2.18	2.16
.95			5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.07	3.01	2.94	2.86	2.79	2.75	2.71
.975			7.21	5.71	5.08	4.72	4.48	4.32	4.20	4.10	4.03	3.96	3.87	3.77	3.67	3.56	3.45	3.39	3.33
.99			10.6	8.02	6.99	6.42	6.06	5.80	5.61	5.47	5.35	5.26	5.11	4.96	4.81	4.65	4.48	4.40	4.31
.995			13.6	10.1	8.72	7.96	7.47	7.13	6.88	6.69	6.54	6.42	6.23	6.03	5.83	5.62	5.41	5.30	5.19
.90	10		3.29	2.92	2.73	2.61	2.52	2.46	2.41	2.38	2.35	2.32	2.28	2.24	2.20	2.15	2.11	2.08	2.06
.95			4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.91	2.84	2.77	2.70	2.62	2.58	2.54
.975			6.94	5.46	4.83	4.47	4.24	4.07	3.95	3.85	3.78	3.72	3.62	3.52	3.42	3.31	3.20	3.14	3.08
.99			10.0	7.56	6.55	5.99	5.64	5.39	5.20	5.06	4.94	4.85	4.71	4.56	4.41	4.25	4.08	4.00	3.91
.995			12.8	9.43	8.08	7.34	6.87	6.54	6.30	6.12	5.97	5.85	5.66	5.47	5.27	5.07	4.86	4.75	4.64
.90	12		3.18	2.81	2.61	2.48	2.39	2.33	2.28	2.24	2.21	2.19	2.15	2.10	2.06	2.01	1.96	1.93	1.90
.95			4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75	2.69	2.62	2.54	2.47	2.38	2.34	2.30
.975			6.55	5.10	4.47	4.12	3.89	3.73	3.61	3.51	3.44	3.37	3.28	3.18	3.07	2.96	2.85	2.79	2.72
.99			9.33	6.93	5.95	5.41	5.06	4.82	4.64	4.50	4.39	4.30	4.16	4.01	3.86	3.70	3.54	3.45	3.36
.995			11.8	8.51	7.23	6.52	6.07	5.76	5.52	5.35	5.20	5.09	4.91	4.72	4.53	4.33	4.12	4.01	3.90
.90	15		3.07	2.70	2.49	2.36	2.27	2.21	2.16	2.12	2.09	2.06	2.02	1.97	1.92	1.87	1.82	1.79	1.76
.95			4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54	2.48	2.40	2.33	2.25	2.16	2.11	2.07
.975			6.20	4.77	4.15	3.80	3.58	3.41	3.29	3.20	3.12	3.06	2.96	2.86	2.76	2.64	2.52	2.46	2.40
.99			8.68	6.36	5.42	4.89	4.56	4.32	4.14	4.00	3.89	3.80	3.67	3.52	3.37	3.21	3.05	2.96	2.87
.995			10.8	7.70	6.48	5.80	5.37	5.07	4.85	4.67	4.54	4.42	4.25	4.07	3.88	3.69	3.48	3.37	3.26
.90	20		2.97	2.59	2.38	2.25	2.16	2.09	2.04	2.00	1.96	1.94	1.89	1.84	1.79	1.74	1.68	1.64	1.61
.95			4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35	2.28	2.20	2.12	2.04	1.95	1.90	1.84
.975			5.87	4.46	3.86	3.51	3.29	3.13	3.01	2.91	2.84	2.77	2.68	2.57	2.46	2.35	2.22	2.16	2.09
.99			8.10	5.85	4.94	4.43	4.10	3.87	3.70	3.56	3.46	3.37	3.23	3.09	2.94	2.78	2.61	2.52	2.42
.995			9.94	6.99	5.82	5.17	4.76	4.47	4.26	4.09	3.96	3.85	3.68	3.50	3.32	3.12	2.92	2.81	2.69
.90	30		2.88	2.49	2.28	2.14	2.05	1.98	1.93	1.88	1.85	1.82	1.77	1.72	1.67	1.61	1.54	1.50	1.46
.95			4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16	2.09	2.01	1.93	1.84	1.74	1.68	1.62
.975			5.57	4.18	3.59	3.25	3.03	2.87	2.75	2.65	2.57	2.51	2.41	2.31	2.20	2.07	1.94	1.87	1.79
.99			7.56	5.39	4.51	4.02	3.70	3.47	3.30	3.17	3.07	2.98	2.84	2.70	2.55	2.39	2.21	2.11	2.01
.995			9.18	6.35	5.24	4.62	4.23	3.95	3.74	3.58	3.45	3.34	3.18	3.01	2.82	2.63	2.42	2.30	2.18
.90	60		2.79	2.39	2.18	2.04	1.95	1.87	1.82	1.77	1.74	1.71	1.66	1.60	1.54	1.48	1.40	1.35	1.29
.95			4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	1.99	1.92	1.84	1.75	1.65	1.53	1.47	1.39
.975			5.29	3.93	3.34	3.01	2.79	2.63	2.51	2.41	2.33	2.27	2.17	2.06	1.94	1.82	1.69	1.58	1.48
.99			7.08	4.98	4.13	3.65	3.34	3.12	2.95	2.82	2.72	2.63	2.50	2.35	2.20	2.03	1.84	1.73	1.60
.995			8.49	5.80	4.73	4.14	3.76	3.49	3.29	3.13	3.01	2.90	2.74	2.57	2.39	2.19	1.96	1.83	1.69
.90	120		2.75	2.35	2.13	1.99	1.90	1.82	1.77	1.72	1.68	1.65	1.60	1.54	1.48	1.41	1.32	1.26	1.19
.95			3.92	3.07	2.68	2.45	2.29	2.18	2.09	2.02	1.96	1.91	1.83	1.75	1.66	1.55	1.43	1.35	1.25
.975			5.15	3.80	3.23	2.89	2.67	2.52	2.39	2.30	2.22	2.16	2.05	1.94	1.82	1.69	1.53	1.43	1.31
.99			6.85	4.79	3.95	3.48	3.17	2.96	2.79	2.66	2.56	2.47	2.34	2.19	2.03	1.86	1.66	1.53	1.38
.995			8.18	5.54	4.50	3.92	3.55	3.28	3.09	2.93	2.81	2.71	2.54	2.37	2.19	1.98	1.75	1.61	1.43
.90	∞		2.71	2.30	2.08	1.94	1.85	1.77	1.72	1.67	1.63	1.60	1.55	1.49	1.42	1.34	1.24	1.17	1.00
.95			3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88	1.83	1.75	1.67	1.57	1.46	1.32	1.22	1.00
.975			5.02	3.69	3.12	2.79	2.57	2.41	2.29	2.19	2.11	2.05	1.94	1.83	1.71	1.57	1.39	1.27	1.00
.99			6.63	4.61	3.78	3.32	3.02	2.80	2.64	2.51	2.41	2.32	2.21	2.04	1.88	1.70	1.47	1.32	1.00
.995			7.88	5.30	4.28	3.72	3.35	3.09	2.90	2.74	2.62	2.52	2.38	2.19	2.00	1.79	1.53	1.36	1.00

Vol. 33 (1943). It is here published